

# SHIJING TILING TOOLS 2025 PRODUCT CATALOG

PROFESSIONAL TILE TOOLS

## SHIJING BRAND OVERVIEW

Zhejiang Shijing Tools Co., Ltd. is an enterprise specializing in the research, development, manufacturing, and sales of high-end tiling tools.

Headquartered in Tongqin Town, Wuyi County—a prominent hub of the hardware industry in Zhejiang, China—the company occupies a site area of 31,260 square meters and currently employs approximately 300 staff members.

Since its founding, the company has remained committed to its core philosophy of “crafting the most reliable tools for masons,” dedicating itself to providing professional tiling tools and tailored solutions to masons worldwide.

With exceptional product quality and a comprehensive after-sales service system, Shijing Tools has grown into a distinguished and trusted brand in the global tiling tools industry.



- Brand Position: Total Solution Provider For Tile Setters
- Brand Mission: The Most Handy Tools for Tile Setters
- Brand Vision: Making Tile Setters Artists

00

SHIJING Brand Overview

01-03

SHIJING Icon Index & Product Series

04-06

SHIJING Measuring Tools

07-11

SHIJING Transport Tools

08-19

SHIJING Cutting Tools

20-25

SHIJING Leveling And Installation Tools

## CONTENTS

### 4 STEPS TO EXCELLENCE

Shijing ensures quality, efficiency, and innovation at every step of the tile-laying process.

This commitment is the defining hallmark of our entire product line—helping professionals choose the right tools for the job while delivering clear, intuitive, and reliable solutions.





01  
MEASURING  
TOOLS

02  
TRANSPORT  
TOOLS

03  
CUTTING  
TOOLS

04  
INSTALLATION  
TOOLS

## ICON INDEX

	Dual Motor System		Slag Water Separation		Safety Brake Button		Heat Pressing Technology
	Debugging Free		Adjustable Thickness		Aluminum Alloy		Dedicated For Sintered Stone
	Track Splicing		Pure Copper Motor		1000KGS		Grinding & Cutting
	Straight Cutting		Fully Automatic		500KGS		Tungsten Alloy
	45° Chamfering		Semi-automatic		Alloy Steel		Stepless Adjustment

## SHIJING PRODUCT SERIES

Shijing Tools is dedicated to the research, development, and production of a comprehensive range of tiling tools, covering categories such as material handling tools, measuring instruments, cutting equipment, tiling machinery, and grout application tools.

Our core products include electric suction cups, laser levels, ceramic tile cutters, tile installation machines, grout removal tools, and auxiliary tiling materials—serving a wide range of industries including construction, renovation, landscaping, and manufacturing.

Renowned for their premium quality, outstanding durability, and high operational efficiency, Shijing products have set industry benchmarks in both performance and reliability.




# 01


## MEASURING TOOLS



- 12(3D) Lines Laser Series
- 2/3/5 Lines Laser Series
- Level Ruler Series



Precision Laser



8259 Glossy



6903 Suspension Bracket

Detachable Li-ion Battery

High Brightness Laser Lamp

Overmolded Sealed Surface

## SHIJING® 8259E\F\G 12(3D)\16(4D) Lines Laser

Laser Type	510-525nm
Accuracy	±2mm/10m
Auto-leveling Range	±3°
Voltage	12V
Power Supply	3000mAh x 1PC
Continue Working Time	9-25 hours

Item No.	Units/pc	MOQ	Package Weight(kg)	Package Size(cm)
8259E/F/G	5pcs/ctn	500	16.8	79*34.5*31

## 12(3D) Lines Laser Series

**7959E/F/G**

**SHIJING-12(3D) \16(4D) Lines Laser**  
5PCS/CTNI MOQ:500  
IHS CODE:9015300000



**Product advantages:**

- Cross-axis Design With Shock-resistant Construction
- Continuous/Pulsed Laser Mode Switching
- Strobe Mode & Modulation Mode (Receiver-compatible)
- Adjustable Laser Line Brightness
- Remote Control Function + 6903 Suspension Bracket

Laser Type	510-525nm
Accuracy	±2mm/10m
Auto-leveling Range	±3°
Voltage	12V
Power Supply	2000mAh battery×2PCS
Working Time	4.5-19hours

**7565E**

**SHIJING-5 Lines Laser**  
10PCS/CTNI MOQ:500  
IHS CODE:9015300000



**Product advantages:**

- 30mW Sharp LD Laser (Imported)
- Brand New Smooth-Damping Switch
- High-Precision, Impact-Resistant NMB Bearings (Imported from Japan)
- 360° Two-Way Fine-Tuning Base

Laser	510-525nm
Accuracy	±2mm/10m
Auto-leveling Range	±3°
Voltage	3.7V
Power Supply	3600mAh battery×2PCS
Working Time	2.5-11.5hours

**6903**

**SHIJING-Wall Bracket**  
20PCS/CTNI MOQ:500 IHS CODE:9017800000



**Strong Magnetic Design**

- Features High-strength Magnets For Secure Attachment To Metal Surfaces.

**Wall-nail Hanging Hole Design**

- A Built-in Nail Hole At The Top Of The Base Allows Direct Wall Mounting For Convenient Operation.

**Dual-sided Wall Alignment**

- Vertical Windows On Both Sides Enable Precise Wall-edge Alignment From Either Direction.


Distance to Wall	0-68 mm
Material	ABS
Compatibility	Compatible With Shijing And Most Mainstream Levels On The Market
Tilt Angle:	±15°
Side Knob Adjustment Range	±9.5°

Item No.	7959E/F/G	Item No.	7565E	Item No.	6903
Units/pc	5pcs/ctn	Units/pc	10pcs/ctn	Units/pc	20pcs/ctn
Package Weight(kg)	14.8	Package Weight(kg)	21	Package Weight(kg)	n.a.
Package Size(cm)	79*34.5*31	Package Size(cm)	68*38*53	Package Size(cm)	6*25*39

Models	Specifications	Models	Specifications																																
 <p><b>SHIJING-8150</b> 2 Lines Laser 64PCS/CTNI MOQ:500 HS CODE:9015300000</p> <p>21.8KG 48.5*36*32cm</p>	<p>Laser Type 510-525nm</p> <p>Accuracy ±2mm/10m</p> <p>Voltage 3.7V</p> <p>Auto-leveling Range ±3°</p> <p>Power Supply 950mAh</p> <p>Working Time 6 hours</p>	 <p><b>SHIJING-1122</b> Floor Level Pins 100PCS/CTNI MOQ:2000 HS CODE:9017800000</p>	<p>Dimensions 67*72*172mm</p> <p>Height 16.4cm</p> <p>Scale Range 1.6-15.8mm</p> <table border="1"> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> <tr> <td>1122</td> <td>100pcs/ctn</td> <td>13.5</td> <td>70*35.5*35.5</td> </tr> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	1122	100pcs/ctn	13.5	70*35.5*35.5																								
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																																
1122	100pcs/ctn	13.5	70*35.5*35.5																																
 <p><b>SHIJING-1102-5</b> Measuring Ruler 120PCS/CTNI MOQ:2000 HS CODE:9017800000</p>	<p>Length 5m</p> <p>Tape Width 19mm/25mm</p> <table border="1"> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> <tr> <td>1102-5-19</td> <td>120pcs/ctn</td> <td>21.95</td> <td>44.5*21.5*29.5</td> </tr> <tr> <td>1102-5-25</td> <td>120pcs/ctn</td> <td>28.85</td> <td>50*22*29.5</td> </tr> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	1102-5-19	120pcs/ctn	21.95	44.5*21.5*29.5	1102-5-25	120pcs/ctn	28.85	50*22*29.5	 <p><b>SHIJING-1320</b> Level Ruler 40PCS/CTNI MOQ:1000 HS CODE:9015300000</p> 	<p>Accuracy 0.5mm/m</p> <table border="1"> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> <tr> <td>1320-21-60</td> <td>40pcs/ctn</td> <td>17.2</td> <td>63*30.2*24.5</td> </tr> <tr> <td>1320-21-80</td> <td>40pcs/ctn</td> <td>21.37</td> <td>83*30.2*24.5</td> </tr> <tr> <td>1320-21-100</td> <td>40pcs/ctn</td> <td>25.87</td> <td>103*30.2*24.5</td> </tr> <tr> <td>1320-21-120</td> <td>40pcs/ctn</td> <td>31.23</td> <td>123*30.2*24.5</td> </tr> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	1320-21-60	40pcs/ctn	17.2	63*30.2*24.5	1320-21-80	40pcs/ctn	21.37	83*30.2*24.5	1320-21-100	40pcs/ctn	25.87	103*30.2*24.5	1320-21-120	40pcs/ctn	31.23	123*30.2*24.5
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																																
1102-5-19	120pcs/ctn	21.95	44.5*21.5*29.5																																
1102-5-25	120pcs/ctn	28.85	50*22*29.5																																
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																																
1320-21-60	40pcs/ctn	17.2	63*30.2*24.5																																
1320-21-80	40pcs/ctn	21.37	83*30.2*24.5																																
1320-21-100	40pcs/ctn	25.87	103*30.2*24.5																																
1320-21-120	40pcs/ctn	31.23	123*30.2*24.5																																
		 <p><b>SHIJING-1220</b> Level Ruler 40PCS/CTNI MOQ:1000 HS CODE:9017800000</p> 	<p>Accuracy 0.5mm/m</p> <p>Material Aluminium Die Casting</p> <table border="1"> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> <tr> <td>1220-40</td> <td>40pcs/ctn</td> <td>24.44</td> <td>42.5*31*25</td> </tr> <tr> <td>1220-60</td> <td>40pcs/ctn</td> <td>30.08</td> <td>62.5*31*25</td> </tr> <tr> <td>1220-80</td> <td>40pcs/ctn</td> <td>38.26</td> <td>82.5*31*25</td> </tr> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	1220-40	40pcs/ctn	24.44	42.5*31*25	1220-60	40pcs/ctn	30.08	62.5*31*25	1220-80	40pcs/ctn	38.26	82.5*31*25																
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																																
1220-40	40pcs/ctn	24.44	42.5*31*25																																
1220-60	40pcs/ctn	30.08	62.5*31*25																																
1220-80	40pcs/ctn	38.26	82.5*31*25																																

# 02

## TRANSPORT TOOLS



- Vacuum Suction Cup Series
- Large Format Tile Lifter
- Slab Trans.

## Vacuum Suction Cup Series



**Replaceable Battery Pack**  
Quick And Hassle-free Battery Replacement



**Alloy Body Material**  
Strong, Robust And Durable



**Replaceable Rubber Chassis**  
Extended Working Life



Automatic Inflation | Powerful Suction



Long-lasting

# SHIJING® 6108

## Vacuum Suction Cup With Digital Display

HS CODE	8205590000
Vertical Suction	220KG
Horizontal Suction	120KG
Voltage/Power	3.7V/4W
Rubber Diameter	24.7×16cm
Power Supply	3600mAh
Vacuum Pump Flow Rate	≥4.2L/Min
Charging Time	2 hours
Working Hours	48hours

Item No.	Units/pc	MOQ	Package Weight(kg)	Package Size(cm)
6108	10PCS/CTN	500	23.5	52.5*26.7*36.5



**6112** Vacuum Suction Cup With Digital Display  
10PCS/CTN | MOQ:500 | HS CODE:8205590000




**Product Advantages:**

- Ideal For Narrow Tiles Over 9cm Wide – Specially Designed For Handling Slim Tiles With Precision.
- Smart Digital Suction Cup – Capable Of Gripping Even Rough Or Textured Surfaces.
- Intelligent LED Display – Real-time Digital Display For Vacuum Pressure And Operating Status.

Vertical Suction	100KG
Horizontal Suction	40KG
Rubber Diameter	24x9cm
Working Hours	48Hours
Charging Interface	Type-C
Voltage/Power	3.7V/4W
Power Supply	3600mAh
Vacuum Pump Flow Rate	≥4L/min

Item No.	6112
Units/pc	10pcs/ctn
Package Weight(kg)	15
Package Size(cm)	67*57*25

**6100PRO** Vacuum Suction Cup With Digital Display  
10PCS/CTN | MOQ:500 | HS CODE:8205590000




**Product Advantages:**

- Imported Battery Cells + Intelligent Boost & Pressure Maintenance System
- Smart Digital LED Display
- Effective On Textured
- White Adhesive Backing With Residue-free Adsorption
- Suction Cup New Battery Series

Vertical Suction	220KG
Horizontal Suction	120KG
Rubber Diameter	22cm
Working Hours	48Hours
Voltage/Power	3.7V/4W
Power Supply	3600mAh
Vacuum Pump Flow Rate	≥4.2L/min

Item No.	6100PRO
Units/pc	10pcs/ctn
Package Weight(kg)	23
Package Size(cm)	67*53.5*31.5

**P618B PRO** Vacuum Suction Cup With Digital Display  
10PCS/CTN | MOQ:500 | HS CODE:8205590000




**Product Advantages:**

- Smart Digital LED Display
- Quickly Replace Lithium Batteries
- Adsorbs On Uneven, Rough & Textured Surfaces
- White Adhesive Backing With Residue-free Adsorption

Vertical Suction	220KG
Horizontal Suction	120KG
Rubber Diameter	22.2x16.7cm
Working Hours	48Hours
Voltage/Power	3.7V/4W
Power Supply	3600mAh
Vacuum Pump Flow Rate	≥4.2L/min

Item No.	P618B PRO
Units/pc	10pcs/ctn
Package Weight(kg)	24
Package Size(cm)	67*57*25

**6100** Vacuum Suction Cup With Digital Display  
10PCS/CTN | MOQ:500 | HS CODE:8205590000




**Product Advantages:**

- Imported Battery Cells + Intelligent Boost & Pressure Maintenance System
- Smart Digital LED Display
- Effective On Textured
- White Adhesive Backing With Residue-free Adsorption

Vertical Suction	220KG
Horizontal Suction	120KG
Rubber Diameter	22cm
Working Hours	31Hours
Charging Time	2-3 Hours
Voltage/Power	3.7V/4W
Power Supply	2000mAh
Vacuum Pump Flow Rate	≥4.2L/min

Item No.	6100
Units/pc	10pcs/ctn
Package Weight(kg)	21
Package Size(cm)	59*53.5*31.5

**P618A** Vacuum Suction Cup With Digital Display  
10PCS/CTN | MOQ:500 | HS CODE:8205590000




**Product Advantages:**

- Imported Battery Cells With Intelligent Pressure-boosting And Pressure-maintaining System
- With Auto Air Pump And Digital Display
- Buna-N Rubber: 2 Years Working Life

Vertical Suction	150KG
Horizontal Suction	100KG
Rubber Diameter	20cm
Working Hours	31Hours
Voltage/Power	3.7V/4W
Power Supply	2000mAh
Charging Interface	Type-C

Item No.	P618A
Units/pc	10pcs/ctn
Package Weight(kg)	19
Package Size(cm)	52.5*51*30

**P618B** Vacuum Suction Cup With Digital Display  
10PCS/CTN | MOQ:500 | HS CODE:8205590000




**Product Advantages:**

- Smart Digital LED Display
- Effective On Textured, Narrow Surfaces
- Minimum Cover Width Of 170mm
- Applicable To Shallow Rough Surface

Vertical Suction	220KG
Horizontal Suction	120KG
Rubber Diameter	24.7cm×16.7cm
Working Hours	31Hours
Voltage/Power	3.7V/4W
Power Supply	2000mAh
Charging Interface	Type-C

Item No.	P618B
Units/pc	10pcs/ctn
Package Weight(kg)	21
Package Size(cm)	67*57*25

## Vacuum Suction Cup Series

Models	Specifications	Models	Specifications
 <p><b>SHIJING-P612</b> Vacuum Suction Cup 10PCS/CTN I MOQ:500 HS CODE:8205590000</p>	<p>Vertical Suction 150KG Rubber Diameter 20cm Buna-N Rubber 2 Years Working Life</p> <p>Item No. Units/pc Package Weight(kg) Package Size(cm) P612 10pcs/ctn 19.4 59.5*51*30</p>	 <p><b>SHIJING - 6102</b> Manual And Electric Dual-use Vacuum Suction Pump 10PCS/CTN I MOQ:500 HS CODE:8205590000</p>	<p>Working Hours 30Hours Charging Time 2-3Hours Voltage/Power 3.7V/2.5W Power Supply 2000mAh Charging Interface Type-C</p> <p>Item No. Units/pc Package Weight(kg) Package Size(cm) 6102 10pcs/ctn n.a. n.a.</p>
 <p><b>SHIJING-P611</b> Vacuum Suction Cup With Pressure Gauge 10PCS/CTN I MOQ:500 HS CODE:8205590000</p>	<p>Vertical Suction 150KG Rubber Diameter 20cm Buna-N Rubber 2 Years Working Life</p> <p>Item No. Units/pc Package Weight(kg) Package Size(cm) P611 10pcs/ctn 20.95 59.5*51*30</p>	 <p><b>SHIJING -P617</b> Electrical Air Pump 100PCS/CTN I MOQ:1000 HS CODE:8467299000</p>	<p>Working Hours 2Hours Charging Time 2-3 Hours Voltage/Power 3.7V/3W Power Supply 2000mAh Charging Interface Type-C</p> <p>Item No. Units/pc Package Weight(kg) Package Size(cm) P617 100pcs/ctn 21 56.5*52.5*27</p>

### P708A SHIJING® Slab Transportation

6 SUCTION CUPS 200KG



#### Product Advantages:

- Full-body Aluminum Alloy Construction
- Wrench-Lock Mechanism For Rapid Position Adjustment
- Dual-size Crossbars
- Quick-detach Suction Cup Design
- Specialized Crossbar Structure

Max Load Bearing 200KG  
Max Slab Size 3200x1600mm  
Suction Cup Configuration Suction Cup x 6PCS

Extendable Length 1.70-3.10m


Item No.	P708A
Units/pc	1pcs/ctn
Package Weight(kg)	41.5
Package Size(cm)	175*26*47



Models	Details	Specifications
 <p><b>SHIJING-6501</b> Slab Trans Mini 1PCS/CTN I MOQ:50 HS CODE:8205590000</p>	<p>Max Load Bearing 150KGS Max Slab Size 1800x900mm Suction Cup Configuration 4 Suction Cups</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) 6501 1pcs/ctn 19.5 182*32*22</p>
 <p><b>SHIJING-P707A</b> Slab Trolley 1PCS/CTN I MOQ:50 HS CODE:8205590000</p>	<p>Material Aluminum Alloy Max Load Size 3200x1600mm Max Load Bearing 200KGS Length*Width*Height 140*720*1500mm</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) P707A 1pcs/ctn 17 110.5*41*16</p>
 <p><b>SHIJING-P610</b> Suction Cup 40PCS/CTN I MOQ:500 HS CODE:8205590000</p>	<p>Rubber Diameter 123mm Vertical Suction 50KGS</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) P610 40pcs/ctn 17.3 70*55*26</p>
 <p><b>SHIJING-P620</b> Suction Cup With 2 Jaws 20PCS/CTN I MOQ:500 HS CODE:8205590000</p>	<p>Max Load Bearing 100KGS Max Slab Size 900x1800mm Suction Cup Configuration 4 Suction Cups</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) P620 20pcs/ctn 17.93 63.5*33.3*48.5</p>
 <p><b>SHIJING-P621</b> Angle Suction Cup 20PCS/CTN I MOQ:50 HS CODE:8205590000</p>	<p>Rubber Diameter 118mm Vertical Suction 100KGS</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) P621 20pcs/ctn 25.95 73.8*29.1*51</p>
 <p><b>SHIJING-P622</b> Tension Suction Cup 20PCS/CTN I MOQ:500 HS CODE:8205590000</p>	<p>Rubber Diameter 118mm Vertical Suction 100KGS</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) P622 20pcs/ctn 25.95 73.8*29.1*51</p>
 <p><b>SHIJING-6103</b> Tension Suction Cup 5PCS/CTN I MOQ:1000 HS CODE:8205590000</p>	<p>Rubber Diameter 140mm Vertical Suction 50KGS</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) 6103 5pcs/ctn 17.93 63.5*33.3*48.5</p>
 <p><b>SHIJING® P625A</b> Tension Vacuum Suction Cup 5PCS/CTN I MOQ:50 HS CODE:8205590000</p>	<p>Rubber Diameter 200mm Vertical Suction 150KGS</p>	<p>Item No. Units/pc Package Weight(kg) Package Size(cm) P625A 5pcs/ctn 44.55 73.3*56.5*34.8</p>

# 03

## CUTTING TOOLS



- Electric Cutting Machine Series
- Manual Cutting Machine Series
- Saw Blade Series

**Irregular Tile Positioning Device**  
Cutting Irregular Ceramic Tiles

**Universal Joint Flushing Pipe**  
High Capacity Design

**Drawer-style Water Collection Tank**  
High Capacity Design

**Brushless Motor**  
4500W Motor With 4 Adjustable Speeds And 10-level Cutting Modes

**LCD Control Console**  
Voice-controlled Remote Function

**Folding Storage**  
Easy To Transport



HS CODE	8464909000
Rated Voltage	220V/50Hz
Rated Power	4500W
No-Load Speed	3000/4000/5000 /6000r/min
Diameter	Φ125-200mm
Cutting Depth	0-50mm
Cutting Angle	0-50°
Material	High-strength Aluminum Alloy
Countertop Width	600mm

Item No.	Max Cutting Length
9201A-1200	1200mm
9201A-1600	1600mm
9201A-1800	1800mm
9201A-2000	2000mm
9201A-2400	2400mm

# SHIJING<sup>®</sup> 9201A

1200/1600/1800/2000/2400 Automatic Electric Cutter

## Electric Cutting Machine Series

### 9601 SHIJING-Electric Cutter 1PCS/CTN | MOQ:250 | HS CODE:8467299000



#### Product Advantages:

- Dual-motor Design For Straight Cutting And Chamfering
- Angle Adjustment-free Cutting Mechanism
- Dual-mode Operation (Wet/Dry Cutting)
- Spliceable Aluminum Alloy GuideRail System

Rated Voltage	220V/50Hz	RAIL ASSEMBLY
Rated Power	1620W	1380MM*2PCS
No-load Speed	13000r/min	(MAX CUTTING:
Diameter	Ø130mm	2400MM)
Straight Cutting Depth	0-15mm	
Bevel Cutting Depth	0-12mm	
Cutting Angle	Aluminum Alloy	
Material	0-2400mm	
Length Of Guide Rail	14.45KG	
Net Weight		

Item No.	9601-1650	9601-1950	9601-2150	9601-1380X2
Cutting Length(mm)	1300	1600	1800	2400
Package Weight(kg)	27	31	34.3	36.5
Package Size(cm)	172*34*36	202*34*36	222*34*36	145*34*36

### 9701 SHIJING® Light Brick Cutting Machine 1PCS/CTN | MOQ:100 | HS CODE:8464909000



#### Product Advantages:

- Timing Belt Drive Mode
- High Power Motor
- High-strength Aluminum Alloy Body

Rated Voltage	220V/50Hz
Rated Power	2300W
No-load Speed	5000r/min
Cutting Width	10-600mm
Chain Links	55
Chain Guide	14 inches

Item No.	9701-600	9702-300	9703-600
Cutting Length(mm)	10-600	10-300	10-600
Package Weight(kg)	30.2	23.7	49.2
Package Size(cm)	87*41*71	57*41*71	94*43*74.5

### 9605 SHIJING-Tile Chamfering Machine 1PCS/2CTN | MOQ:100 | HS CODE:8467299000



#### Product Advantages:

- 45degree Chamfering And Straight Cutting
- Auto-angle Chamfering System (Non-adjustable Design)
- Waterproof And Dustproof Hidden Cutter
- Electric Circulating Water Spray
- Foldable Body Design
- Solid Widened Bearing

Rated Voltage	220V/50Hz	RAIL ASSEMBLY
Rated Power	2300W	1200MM/1600MM
No-Load Speed	12000r/min	
Diameter	Ø130mm	
Straight Cutting Depth	0-20mm	
Bevel Cutting Depth	0-16mm	
Cutting Angle	0-45°	
Material	Aluminum alloy	

Item No.	9605
Cutting Length(mm)	1200/1600
Package Weight(kg)	29.3
Package Size(cm)	n.a.

### 9033 SHIJING® Electric Cutter 1PCS/CTN | MOQ:50 | HS CODE:8464909000



#### Product Advantages:

- Ø30Steel Double Track Cutting Guide Rail
- Fully Automatic Feed Cutter Assembly
- Timing Belt Drive System
- High-precision LD Laser
- High-strength Aluminum Alloy Body

Rated Voltage	220V/50Hz
Rated Power	2300W
No-load Speed	13000r/min
Straight Cutting Depth	0-25mm
Bevel Cutting Depth	0-15mm
Cutting Width	0-45°
Diameter	Ø120mm
Electrical Machinery	Synchronous Belt Drive
Material	Aluminum Alloy

Item No.	9033-1200	9063-1600
Cutting Length(mm)	1200	1600
Package Weight(kg)	89	n.a.
Package Size(cm)	161*53*68	210*530*68

### 9202 SHIJING-Electric Cutter Manual 1PCS/CTN | MOQ:100 | HS CODE:8464909000



#### Product Advantages:

- 40x60mm Hollow Steel Single Track
- Semi-automatic Cutting Machine
- Gear Drive Mode
- High-strength Aluminum Alloy Body

Cutting Depth	25mm
Max Cutting Length	1200/1600/1800mm
Power	2300W
Blade	Ø120mm
No-load Speed	12000r/min
Cutting Angle	0-45°

Item No.	9202-1200	9202-1600	9202-1800
Cutting Length(mm)	1200	1600	1800
Package Weight(kg)	n.a.	n.a.	n.a.
Package Size(cm)	167*47*52.5	n.a.	n.a.

### 9320 SHIJING-Marble Cutter 6PCS/CTN | MOQ:1000 | HS CODE:8467299000



#### Product Advantages:

- Adjustable Cutting Angle And Depth
- High-precision Bearings
- IP54-rated Gearbox
- Eco-friendly Overmolded Grip

Rated Voltage	220V/50Hz
Rated Power	1200W
No-load Speed	13000rpm
Diameter	Ø106xØ20x1.2mm
Cutting Depth	0-31mm
Net Weight	2.3KG

Item No.	9320
Units/pc	6PCS/CTN
Package Weight(kg)	21
Package Size(cm)	690*240*385

### P703 SHIJING® Worktable 1PCS/CTN | MOQ:50 | HS CODE:8205590000



#### Product Advantages:

- Stackable Design For Easy Storage And Transport
- Rugged Aluminum Alloy Structure Ensures Long-lasting Performance

Max Load Bearing	500KGS
Max Range	3600x1500mm
Min Range	1500x1800mm
Height	750mm

Item No.	P703
Size(mm)	3600*1500*740
Units/pc	1pcs
Package Weight(kg)	60
Package Size(cm)	187.5*34.5*30

### P706-15 SHIJING-Retractable Worktable 1PCS/CTN | MOQ:50 | HS CODE:8205590000



#### Product Advantages:

- Aluminum Alloy Construction - Lightweight Yet Robust
- High Load-bearing Capacity With Stable Durability
- 500KGS Max Load Bearing

Max Range	2300x1190mm
Height	750mm

Item No.	P706
Size(mm)	2300*1190*750
Units/pc	1pcs
Package Weight(kg)	n.a.
Package Size(cm)	99*24*43

# SHIJING®

## High Power Dual Motor

Equipped With A High-power Dual-motor System, Allowing Seamless Switching Between Straight Cutting And Chamfering.

# 9601



# SHIJING® 3026

800/1000/1200/1600/1800 Manual Tile Cutter

HS CODE 8464909000  
Cutting Length 800-1800mm  
Cutting Thickness 6-16mm  
Cutter Wheel Industrial Blade

Item No.	Units/pc
3026-0800	2PCS/CTN
3026-1000	2PCS/CTN
3026-1200	2PCS/CTN
3026-1600	1PCS/CTN
3026-1800	1PCS/CTN

### Suitable For Cutting All Types Of Tiles

- Ceramic Tiles
- Terrazzo Tiles
- Porcelain Tiles
- Wood-look Tiles
- Glass Tiles
- Mosaic Tiles

- Rotating Aluminum Alloy Side Beam Design
- High-precision Aluminum Alloy Track
- Reinforced Double-layer Aluminum Alloy Base Plate
- Silicone-coated Alloy Handle
- U-shaped Bearing Slide Block
- Portable Handrail + Roller Design

### 3025 SHIJING-Manual Tile Cutter

1/2PCS/CTN | MOQ:500 | HS CODE:8464909000



#### Product Advantages:


- 20x40mm Hollow Steel Single Track
- Utility Patent: Blade Holder For Precision Adjustment
- Proprietary 22mm Blade Wheel (10,000m Durability)
- Double-layer High-strength Aluminum Alloy Base Plate

Cutting Depth 800-1600mm  
Cutting Thickness 6-16mm  
Base Plate Size 120mmx50mm

Item No.	3025-0800	3025-1000	3025-1200	3025-1600	3025-1800
Units/pc	2pcs/ctn	2pcs/ctn	2pcs/ctn	1pcs/ctn	1pcs/ctn
Package Weight(kg)	n.a.	n.a.	41	n.a.	n.a.
Package Size(cm)	125*36*30.5	145*36*30.5	165*36*30.5	203.5*20.5*30	223.5*20.5*30

### 1322 SHIJING- Manual Tile Cutter

2PCS/CTN | MOQ:300 | HS CODE:8205590000



#### Product Advantages:

- Dual Nickel-plated Steel Rails
- Green Laser Guidance System
- Reinforced Steel Base Plate For Enhanced Stability
- Utility Patent : Blade Holder For Adjusting Accuracy
- Standard Blade With 10000 Meters Working Life

Guide Rail Size  $\varnothing$ 20mm\*2  
Cutting Length 800-1200mm  
Cutting Thickness 6-16mm  
Number Of Bearings High Precision Linear Bearings\*2  
Base Plate Size 200x30mm

Item No.	1322-0800	1332-1000	1352-1200
Units/pc	2pcs/ctn	2pcs/ctn	2pcs/ctn
Package Weight(kg)	32.1	n.a.	40.6
Package Size(cm)	115*25*37	135*25*37	155*25*37

### 3722 SHIJING-Manual Tile Cutter

1/2PCS/CTN | MOQ:500 | HS CODE:8205590000



#### Product Advantages:

- Visible Cutting Wheel
- Split Slider And Handle For Stable Scoring
- Adjustable Handle Angle
- Reinforced Double-layer Aluminum Alloy
- Rotatable Aluminum Side Beam With Lock; Fits Model 3026
- Nylon Front Base Prevents Tile Damage; Fits Model 3026
- Green Laser Guidance System
- Hex Mark On Front Base And Oval Mark On Stop; Fits 13/37

Guide Rail Size 20x40mm  
Cutting Length 800-1800mm  
Cutting Thickness 6-18mm  
Base Plate Size 180x50mm

Item No.	3722-0800	3722-1000	3722-1200	3722-1600	3722-1800
Units/pc	2pcs/ctn	2pcs/ctn	2pcs/ctn	1pcs/ctn	1pcs/ctn
Package Weight (kg)	30.4	n.a.	48.7	n.a.	n.a.
Package Size(cm)	127*25*55.5	147*25*55.5	167*25*55.5	206.5*27*28	225.5*27*28

### 3022 SHIJING-Manual Tile Cutter

1/2PCS/CTN | MOQ:500 | HS CODE:8205590000



#### Product advantages:

- Self-developed Handle Reset Design: Optimized Ergonomic Control With Automatic Handle Recovery
- Proprietary Wheel Adjustment Mechanism
- Utility Patent : Blade Holder For Adjusting Accuracy
- Standard Blade With 10000 Meters Working Life
- Red Laser Guidance System

Guide Rail Size 20x40mm  
Cutting Length 800-1800mm  
Cutting Thickness 6-16mm  
Number Of Bearings 20  
Base Plate Size 78x35mm

Item No.	3022-0800	3032-1000	3052-1200	3062S-1600	3072S-1800
Units/pc	2pcs/ctn	2pcs/ctn	2pcs/ctn	1pcs/ctn	1pcs/ctn
Package Weight(kg)	n.a.	n.a.	n.a.	n.a.	n.a.
Package Size(cm)	116.5*38*26	136.5*38*26	156.5*38*26	194.5*18*29	214.5*18*29

### E302 SHIJING-Manual Tile Cutter

1/2PCS/CTN | MOQ:500 | HS CODE:8205590000



#### Product Advantages:

- Hollow Bearing Steel Rails
- Single-rail Design With Expanded Workspace
- Aerospace-grade Aluminum Alloy Base
- Front And Rear Bases Made Of ABS+PC Polymer Alloy
- Industrial Blade With 10,000 Meters Working Life
- Red Laser Guidance System

Guide Rail Size 20x40mm  
Cutting Length 600-1200mm  
Cutting Thickness 6-16mm  
Base Plate Size 200x30mm

Item No.	E302-600	E302-800	E302-1000	E302-1200
Units/pc	2pcs/ctn	2pcs/ctn	2pcs/ctn	1pcs/ctn
Package Weight (kg)	n.a.	n.a.	n.a.	n.a.
Package Size(cm)	n.a.	n.a.	n.a.	n.a.

### 3021 SHIJING-Manual Tile Cutter

2PCS/CTN | MOQ:500 | HS CODE:8205590000



#### Product Advantages:

- Solid Quenched Steel Guide Rail (Classic Design)
- SHIJING® Proprietary Blade Wheel Adjustment Mechanism
- SHIJING® Proprietary Handle Positioning Design
- Utility Patent : Blade Holder For Precision Adjustment
- Standard Blade With 10000 Meters Working Life
- Red Laser Guidance System

Guide Rail Size 12x45mm  
Cutting Length 800-1200mm  
Cutting Thickness 6-16mm  
Number Of Bearings 18  
Base Plate Size 78x35mm

Item No.	3021-0800	3031-1000	3051-1200
Units/pc	2pcs/ctn	2pcs/ctn	2pcs/ctn
Package Weight(kg)	31.6	35.9	39.6
Package Size(cm)	116.5*38*30	136.5*38*30	156.5*38*30

## Manual Cutting Machine Series

### 3023 SHIJING-Manual Tile Cutter



- Product Advantages:**
- Aluminum Roller Clamping Iron Guide Edge Beam
  - Detachable Push Handle & Sliding Block Assembly
  - Integrated Red Laser Guidance
  - Standard Blade with A Lifespan Of 10,000 Meters

Guide Rail Size	20x40mm
Cutting Length	800-1600mm
Cutting Thickness	6-16mm
Number Of Bearings	21
Base Plate Size	100x37mm



### SHIJING® 9610 Chamfering Kit

Net Weight 0.61kg U-Shaped Bearings Standard 6 pcs  
Cover diameter 42-43mm Blade Diameter S Ø125mm

Item No.	3023-0800	3023-1200	3023-1600
Units/pc	2pcs/ctn	2pcs/ctn	1pcs/ctn
Package Weight(kg)	n.a	n.a	n.a
Package Size(cm)	124*35*25	164*35*25	201.5*18.5*27

Models	Details	Specifications	Features
 <b>SHIJING-6638A</b> Slab Pliers 10PCS/CTN I MOQ:500 HS CODE:8205590000	Cutting Capacity ≤10 mm Min. Processing Width 25 mm	Item No. 6638A Units/pc 10pcs/ctn Package Weight(kg) 9.8 Package Size(cm) 67*26*35.5	
 <b>SHIJING-6635</b> T-shape Tile Cutter 10PCS/CTN I MOQ:500 HS CODE:8205590000	Cutting Length 0-2400mm Cutting Thickness ≤10mm Min. Processing Width Φ22 Alloy Cutting Wheel	Item No. 6635-600, 6635-900, 6635-1200 Units/pc 10pcs/ctn, 10pcs/ctn, 10pcs/ctn Package Weight(kg) 16.16, 18.78, 22.86 Package Size(cm) 69.5*28.5*38, 99.5*28.5*38, 129.5*28.5*38	
 <b>SHIJING-3501</b> T-shape Tile Cutter 6PCS/CTN I MOQ:300 HS CODE:8205590000	Cutting Thickness 6-12mm Cutting Range 20-1200mm Blade Wheel Φ22 Alloy Cutting Wheel	Item No. 3501-1200, 3501-1800 Units/pc 6pcs/ctn, 6pcs/ctn Package Weight(kg) n.a., n.a. Package Size(cm) n.a., n.a.	

Models	Specifications	Features
 <b>BLADE 105/106</b> Φ20 Special For Tiles 20PCS/INNER BOX 200PCS/CTN I MOQ:5000 HS CODE:8467999000	Item No. 105 Premium Edition, 106 Industrial-grade, 106 Professional-grade Size c105*ç20*1.2mm, c106*ç20*1.1mm, c106*ç20*1.2mm Units/pc 20/200, 20/200, 20/200 Package Weight (kg) 17, 16.7, 18.1 Package Size(cm) 51*32*21, 47*33*20, 47*33*20	
 <b>BLADE 105/106</b> Φ20 Special For Slab 20PCS/INNER BOX 200PCS/CTN I MOQ:5000 HS CODE:8467999000	Item No. 105 Slab Premium Edition, 105 Slab Industrial-grade, 106 Slab Professional-grade Size c105*ç20*1.1mm, c105*ç20*1.2mm, c106*ç20*1.1mm Units/pc 20/200, 20/200, 20/200 Package Weight(kg) 20.2, 21.2, 20.9 Package Size(cm) 51*32*21, 51*32*21, 47*33*20	
 <b>BLADE 115</b> Blade Special For Ceramic Tile 20PCS/INNER BOX 200PCS/CTN I MOQ:2000 HS CODE:8467999000	Item No. Blade Special For Ceramic Tile Size c115*ç22.23*1.2mm Units/pc 20/200 Package Weight (kg) 20.6 Package Size(cm) 47*33*20	
 <b>BLADE 125</b> Blade Special For Slab 20PCS/INNER BOX 200PCS/CTN I MOQ:2000 HS CODE:8467999000	Item No. Blade Special For Slab Size c125*ç22.23*1.2mm Units/pc 20/200 Package Weight(kg) 24.4 Package Size(cm) 47*33*20	
 <b>BLADE 130</b> Φ20 Pro Quality 50PCS/INNER BOX 100PCS/CTN I MOQ:2000 HS CODE:8467999000	Item No. Φ130 BLADE Size c130*ç20*1.6mm Units/pc 50/100 Package Weight(kg) 17 Package Size(cm) 51*32*21	
 <b>BLADE 120</b> Φ20 Pro Quality 100PCS/INNER BOX 100PCS/CTN I MOQ:2000 HS CODE:8467999000	Item No. Φ120 BLADE Size c120*ç20*1.8mm Units/pc 100/100 Package Weight(kg) 15.1 Package Size(cm) 47*33*20	
 <b>BLADE 5</b> Φ5 Standard/Professional/Industrial 20PCS/INNER BOX 600PCS/CTN I MOQ:600 HS CODE:8467999000	Item No. STANDARD, PROFESSIONAL, INDUSTRIAL Size c22*ç5*6, c22*ç5*6, c22*ç5*6 Units/pc 20, 20, 20 Package Weight(kg) 17, 17, 17 Package Size(cm) 37*3.2*38.5, 37*3.2*38.5, 37*3.2*38.5	

# 04

## INSTALLATION TOOLS



# SHIJING® 9395 Tile Vibrator

HS CODE	8467299000
Power	21V 2000mAh
Vibration Intensity	6 Gears
Vibration Frequency	4000–8000 rpm
Motor	775 DC motor
Suction Cup Diameter	140mm
Charging Time	2.5 hours
Applicable Tile Size	<2.4*1.2m

Item No.	Units/pc	MOQ	Package Weight(kg)	Package Size(cm)
9395	5PCS/CTN	500	14.5	80*32*24.5

- Tile Vibrator Series
- Crack-cleaning Machine
- Angle Grinder
- Hand Mixer

### Digital Display

Vibration Gear Digital Display  
More Intuitive



### Lightweight And Portable

Medium To Low Volume, Light Weight,  
Easy To Carry



### Ergonomic

The V-shaped Design Of The Front And  
Rear Handles Conforms To Ergonomics



## Tile Vibrator Series

**9393** SHIJING-Tile Vibrator  
5PCS/CTN | MOQ:500 | HS CODE:8467299000



- Product Advantages:**
- Durable Aluminum Alloy Buttons For Extended Lifespan
  - 6-speed LCD Vibration Control For Simple Operation
  - Quick-lock Mechanism
  - Ultra-lightweight Design, Only 1.6 kg

Vibration Intensity 6 Gears  
Vibration Frequency 4000-8000rpm  
Motor 550 DC motor  
Rated Voltage 21V  
Battery Capacity 2000mAh x IPC  
Suction Cup Diameter 123mm  
Applicable Tile Size ≤1.8\*0.9m

**9392** SHIJING-Tile Vibrator  
5PCS/CTN | MOQ:500 | HS CODE:8467299000



- Product Advantages:**
- 165 mm Oversized Suction Cup For Enhanced Efficiency
  - 887 DC Motor With Dual Eccentric Weights For Stronger Vibrations
  - Digital Display Shows Battery Level And Vibration Intensity For Safer Operation

Vibration Intensity 6 Gears  
Vibration Frequency 3000-6000rpm  
Motor 887 DC motor  
Rated Voltage 21V  
Battery Capacity 2000mAh x 2PCS  
Suction Cup Diameter 165mm  
Applicable Tile Size ≤3.2\*1.6m

**9390** SHIJING-Tile Vibrator  
5PCS/CTN | MOQ:500 | HS CODE:8467299000



- Product Advantages:**
- Upgraded High-voltage Dual Lithium Batteries
  - Auto-lock Suction Mechanism
  - Lightweight Body, Only 1.7 kg

Vibration Intensity 6 Gears  
Vibration Frequency 4000-8000rpm  
Motor 550 DC motor  
Rated Voltage 16.8V  
Battery Capacity 2000mAh x 2PCS  
Suction Cup Diameter 123mm  
Applicable Tile Size ≤1.8\*0.9m

Item No.	9393	Item No.	9392	Item No.	9390
Units/pc	5pcs/ctn	Units/pc	5pcs/ctn	Units/pc	5pcs/ctn
Package Weight(kg)	13.1	Package Weight(kg)	22.16	Package Weight(kg)	32.9
Package Size(cm)	80*32*24.5	Package Size(cm)	104.5*37*26	Package Size(cm)	67*37*42

Models	Specifications	Models	Specifications																												
 <p><b>SHIJING P501/502</b> Tile Racket 10/6PCS/CTN   MOQ:300 HS CODE:8205590000</p>	<p><b>Work Range</b> 1600/1800/2400/3200mm <b>Ceramic Tiles</b> 350x150mm <b>Weight</b> 2.2/3.6KG</p> <table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>P501</td> <td>10pcs/ctn</td> <td>26.15</td> <td>79*36.6*23</td> </tr> <tr> <td>P502</td> <td>6pcs/ctn</td> <td>25.56</td> <td>49.4*36.8*25</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	P501	10pcs/ctn	26.15	79*36.6*23	P502	6pcs/ctn	25.56	49.4*36.8*25	 <p><b>SHIJING 5102-1228-10</b> Trowel 15PCS/INNER BOX, 60PCS/CTN   MOQ:500 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>5102-1228-10</td> <td>15/60</td> <td>27.98</td> <td>61*32*49.5</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	5102-1228-10	15/60	27.98	61*32*49.5								
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																												
P501	10pcs/ctn	26.15	79*36.6*23																												
P502	6pcs/ctn	25.56	49.4*36.8*25																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																												
5102-1228-10	15/60	27.98	61*32*49.5																												
 <p><b>SHIJING 5101</b> Trowel 15PCS/INNER BOX, 60PCS/CTN   MOQ:2000 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>5101-26</td> <td>15/60</td> <td>24.68</td> <td>57*31*45.5</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	5101-26	15/60	24.68	57*31*45.5	 <p><b>SHIJING 5103-1026</b> Trowel 15PCS/INNER BOX, 60PCS/CTN   MOQ:2000 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>5103-1026</td> <td>15/60</td> <td>23.08</td> <td>53*30*43.5</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	5103-1026	15/60	23.08	53*30*43.5												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																												
5101-26	15/60	24.68	57*31*45.5																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																												
5103-1026	15/60	23.08	53*30*43.5																												
 <p><b>SHIJING 5100</b> Trowel 15PCS/INNER BOX, 60PCS/CTN   MOQ:500 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>5100-10</td> <td>15/60</td> <td>26.11</td> <td>57*31*45.5</td> </tr> <tr> <td>5100-12</td> <td>15/60</td> <td>25.42</td> <td>57*31*45.5</td> </tr> <tr> <td>5100-15</td> <td>15/60</td> <td>n.a.</td> <td>57*31*45.5</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	5100-10	15/60	26.11	57*31*45.5	5100-12	15/60	25.42	57*31*45.5	5100-15	15/60	n.a.	57*31*45.5	 <p><b>SHIJING 5107</b> Trowel 10PCS/INNER BOX, 20PCS/CTN   MOQ:1000 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>5107-1248-10/12/15</td> <td>10/20</td> <td>15.78</td> <td>52*32*41</td> </tr> <tr> <td>5107-1260-10/12/15</td> <td>10/20</td> <td>15.78</td> <td>52*32*41</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	5107-1248-10/12/15	10/20	15.78	52*32*41	5107-1260-10/12/15	10/20	15.78	52*32*41
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																												
5100-10	15/60	26.11	57*31*45.5																												
5100-12	15/60	25.42	57*31*45.5																												
5100-15	15/60	n.a.	57*31*45.5																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																												
5107-1248-10/12/15	10/20	15.78	52*32*41																												
5107-1260-10/12/15	10/20	15.78	52*32*41																												

Models	Details	Specifications																										
 <p><b>SHIJING 5108</b> Trowel 6PCS/CTN   MOQ:500 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Plate Size</th> <th>Space Width</th> <th>Material</th> </tr> </thead> <tbody> <tr> <td>115x280mm</td> <td>10mm</td> <td>Stainless Steel</td> </tr> </tbody> </table>	Plate Size	Space Width	Material	115x280mm	10mm	Stainless Steel	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>5108</td> <td>6pcs/ctn</td> <td>n.a.</td> <td>84.5*33*36</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	5108	6pcs/ctn	n.a.	84.5*33*36												
Plate Size	Space Width	Material																										
115x280mm	10mm	Stainless Steel																										
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
5108	6pcs/ctn	n.a.	84.5*33*36																									
 <p><b>SHIJING 6011-680G</b> Rubber Hammer 6PCS/INNER BOX, 24PCS/CTN   MOQ:1200 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Hammer Weight</th> <th>Bounce Size</th> </tr> </thead> <tbody> <tr> <td>680G</td> <td>Little Bounce</td> </tr> </tbody> </table>	Hammer Weight	Bounce Size	680G	Little Bounce	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>6011-680G</td> <td>6/24</td> <td>16.74</td> <td>45.5*44*27</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	6011-680G	6/24	16.74	45.5*44*27														
Hammer Weight	Bounce Size																											
680G	Little Bounce																											
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
6011-680G	6/24	16.74	45.5*44*27																									
 <p><b>SHIJING 6011-960G</b> Rubber Hammer 6PCS/INNER BOX, 16PCS/CTN   MOQ:1200 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Hammer Weight</th> <th>Bounce Size</th> </tr> </thead> <tbody> <tr> <td>960G</td> <td>Little Bounce</td> </tr> </tbody> </table>	Hammer Weight	Bounce Size	960G	Little Bounce	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>6011-960G</td> <td>6/16</td> <td>22.9</td> <td>45*25.5*45</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	6011-960G	6/16	22.9	45*25.5*45														
Hammer Weight	Bounce Size																											
960G	Little Bounce																											
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
6011-960G	6/16	22.9	45*25.5*45																									
 <p><b>SHIJING 6523S-12INCH</b> Tile Support With Scale 28PCS/CTN   MOQ:500 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Max Load Bearing</th> </tr> </thead> <tbody> <tr> <td>50KGS</td> </tr> </tbody> </table>	Max Load Bearing	50KGS	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>6523S-12INCH</td> <td>28</td> <td>21.22</td> <td>42*27*40.5</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	6523S-12INCH	28	21.22	42*27*40.5																
Max Load Bearing																												
50KGS																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
6523S-12INCH	28	21.22	42*27*40.5																									
 <p><b>SHIJING 6523S</b> Tile Support With Scale 40PCS/CTN   MOQ:500 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Max Load Bearing</th> </tr> </thead> <tbody> <tr> <td>50KGS</td> </tr> </tbody> </table>	Max Load Bearing	50KGS	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>6523S</td> <td>40</td> <td>21.22</td> <td>50*22*37</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	6523S	40	21.22	50*22*37																
Max Load Bearing																												
50KGS																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
6523S	40	21.22	50*22*37																									
 <p><b>SHIJING 8701</b> Reusable Tile Leveling System 20BAGS/CTN   MOQ:1000 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Product Content</th> </tr> </thead> <tbody> <tr> <td>Reusable Tile Leveling System (50PCS/BAG)</td> </tr> </tbody> </table>	Product Content	Reusable Tile Leveling System (50PCS/BAG)	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>8701</td> <td>20</td> <td>13.74</td> <td>48*40*30</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	8701	20	13.74	48*40*30																
Product Content																												
Reusable Tile Leveling System (50PCS/BAG)																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
8701	20	13.74	48*40*30																									
 <p><b>SHIJING E8622</b> Clip 100PCS/BAG 50BAGS/CTN   MOQ:2000 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Product Content</th> </tr> </thead> <tbody> <tr> <td>Clip(100PCS/BAG)</td> </tr> </tbody> </table>	Product Content	Clip(100PCS/BAG)	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>E8622-1.0</td> <td>50/100</td> <td>8.96</td> <td>55*42*41</td> </tr> <tr> <td>E8622-1.5</td> <td>50/100</td> <td>9.36</td> <td>55*42*41</td> </tr> <tr> <td>E8622-2.0</td> <td>50/100</td> <td>10.16</td> <td>55*42*41</td> </tr> <tr> <td>E8622-2.5</td> <td>50/100</td> <td>10.62</td> <td>55*42*41</td> </tr> <tr> <td>E8622-3.0</td> <td>50/100</td> <td>11.18</td> <td>55*42*41</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	E8622-1.0	50/100	8.96	55*42*41	E8622-1.5	50/100	9.36	55*42*41	E8622-2.0	50/100	10.16	55*42*41	E8622-2.5	50/100	10.62	55*42*41	E8622-3.0	50/100	11.18	55*42*41
Product Content																												
Clip(100PCS/BAG)																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
E8622-1.0	50/100	8.96	55*42*41																									
E8622-1.5	50/100	9.36	55*42*41																									
E8622-2.0	50/100	10.16	55*42*41																									
E8622-2.5	50/100	10.62	55*42*41																									
E8622-3.0	50/100	11.18	55*42*41																									
 <p><b>SHIJING E8650/E6510</b> Wedge &amp; Plier 50/50PCS/CTN MOQ:2000/1000 HS CODE:8205590000</p>	<table border="1"> <thead> <tr> <th>Product Content</th> </tr> </thead> <tbody> <tr> <td>Wedge(100PCS/BAG) Plier</td> </tr> </tbody> </table>	Product Content	Wedge(100PCS/BAG) Plier	<table border="1"> <thead> <tr> <th>Item No.</th> <th>Units/pc</th> <th>Package Weight(kg)</th> <th>Package Size(cm)</th> </tr> </thead> <tbody> <tr> <td>E8650(Wedge)</td> <td>50</td> <td>n.a.</td> <td>n.a.</td> </tr> <tr> <td>E6510(Plier)</td> <td>50</td> <td>18.2</td> <td>70*33*26.5</td> </tr> </tbody> </table>	Item No.	Units/pc	Package Weight(kg)	Package Size(cm)	E8650(Wedge)	50	n.a.	n.a.	E6510(Plier)	50	18.2	70*33*26.5												
Product Content																												
Wedge(100PCS/BAG) Plier																												
Item No.	Units/pc	Package Weight(kg)	Package Size(cm)																									
E8650(Wedge)	50	n.a.	n.a.																									
E6510(Plier)	50	18.2	70*33*26.5																									

**Metal Ratchet Chuck**

Compatible With Multiple Accessories, With Strong Clamping And Not Easy To Fall Off



**Dual Speed Regulation**

Adjust The Gear According To Different Materials For High And Low Speed Conversion



**Outer Rotor Brushless DC Motor**

Infinite Speed Regulation, Electronic Brake, Anti Twist Self Stop Function



**SHIJING® 9371**  
Cordless Drill Driver

Max. Voltage	21V
Chuck Diameter	1.5-13mm
Power Supply	4000mAh
Max. Torque	70N·m
Rotate Speed	0-500rpm/0-2150rpm



**Models**

**Specifications**



**SHIJING-9331**  
Crack-cleaning Machine  
5PCS/CTN | MOQ:300  
HS CODE:8467299000

Rated Voltage 220V  
Saw Blade Diameter Φ100  
Rated Power 900W  
No-load Speed 6000-9000r/min  
Saw Blade Inner Diameter Φ20

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
9331	5pcs/ctn	29.25	104.5*37*26



**SHIJING-9370**  
Electric Hand Drill  
10PCS/CTN | MOQ:1000  
HS CODE:8467299000

Rated Voltage 220V/50HZ  
Rotate Speed 0-2100r/min  
Rated Power 450W  
Spindle Thread Φ10

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
9370	10pcs/ctn	17.3	56.5*37.5*23.5



**SHIJING-9311**  
Angle Grinder  
10PCS/CTN | MOQ:1000  
HS CODE:8467299000

Rated Voltage 220-230V  
Rated Power 750W  
Rotate Speed 4000-11000r/min  
Rated Power 50/60Hz  
Spindle Thread M14  
Blade 125mm

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
9311	10pcs/ctn	22	62.5*34.5*22



**SHIJING-9352**  
Hand Mixer  
5PCS/CTN | MOQ:1000  
HS CODE:8467299000

Power 1550W  
Rated Frequency 50Hz  
Rated Voltage 220V  
Rotate Speed 0-1600r/min

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
9352	5pcs/ctn	23.73	65*33*31.5



**SHIJING-9606**  
Chamfering Bracket  
HS CODE:8467299000

Compatible With M14 Angle Grinders  
Chamfer Type 45° Angle  
Product Weight(kg) 1.8  
Blade Diameter 120mm  
Main Material Aluminum alloy

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
9606	n.a.	n.a.	42.5*11*6

**Models**

**Specifications**



**SHIJING-P615**  
Locator Of Drill  
20PCS/CTN | MOQ:500  
HS CODE:8205590000

Chuck Capacity 30-43mm

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
P615	20pcs/ctn	24.15	58*33.5*45



**SHIJING-45/50**  
Tile Hole Opener With Multitooth  
10PCS/INNER BOX,  
160PCS/CTN | MOQ:2000  
HS CODE:8467999000

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
45MM	10/160	21.72	54.5*38*36
50MM	10/160	20.94	54.5*38*36




**SHIJING-5109**  
Scraper Knife  
6PCS/INNER BOX,  
60PCS/CTN | MOQ:1000  
HS CODE:8205590000

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
5109-30cm	6/60	19.54	50*36.5*46



**SHIJING 6611/200#**  
Tile Grinding

Item No.	Units/pc	Package Weight(kg)	Package Size(cm)
6611/200#	200	n.a.	n.a.



ZHEJIANG SHIJING TOOLS CO., LTD.

No. 1, Weiwu West Road, Tongqin Town, Wuyi County,  
Jinhua City, Zhejiang Province , China



DAVID@SHIJINGTOOLS.COM



WWW.SHIJINGTOOLS.COM

Copyright © 2009-2025 Zhejiang Shijing Tools Co., Ltd. All rights reserved.

Version 20250901

Product specifications are subject to change without prior notice.

**PROFESSIONAL TILE TOOLS**